




WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDING 15 MARCH 1946




ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED
PER 1000 STRENGTH

DISEASE



INJURY



ARMY
MEDICAL
APR 3 1946
LIBRARY

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDING 15 MARCH 1946

	PAGE
NATURE OF THE DATA	2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	13
STATIONS WITH HIGHEST MORBIDITY RATES	20
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST.	21

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for each of the Service Commands. More significant is the estimated non-effective rate for personnel stationed in the United States shown in the chart on page 7.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casualties, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.

EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (L) is placed after the name of the station.

MORBIDITY FROM ——— ALL CAUSES ————— INJURY ONLY

CONTINENTAL UNITED STATES

OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH


RESTRICTED

MORBIDITY FROM ————— DISEASE

RESTRICTED

————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes:

(See chart on Page 3.)

Morbidity from all causes during the week ended 15 March increased, being reported at 675 admissions per thousand troops per annum, as compared with 654 such admissions during the preceding week.

Injury:

(See chart on Page 3.)

Injury admissions decreased from 33 per thousand troops per annum in the week ended 8 March to 29 per thousand in the current week. Highest rates were those reported from the Sixth Service Command and the Military District of Washington (34 and 35 per thousand), ranging down to 22 per thousand in the Seventh Service Command.

Diseases:

(See chart on opposite page.)

Morbidity from all diseases in the United States as a whole during the week increased from 621 to 646 admissions per thousand troops per annum. Comparatively sharp increases are noted in the First, Fifth, and Sixth Service Commands.

Respiratory Diseases:

(See charts on opposite page and on Pages 6 and 7.)

The rate for colds, influenza, etc. increased slightly during the week (178 per thousand to 182 per thousand). Morbidity from these causes continued highest in the Seventh Service Command and the Military District of Washington.


Admissions for all forms of primary pneumonia fell from 19 per thousand troops per annum to 18. The rate increased sharply in the Sixth Service Command, less rapidly in the First Service Command. Highest morbidity (37 admissions per thousand troops per annum) was again reported from the Military District of Washington; rates ranged downward to 8 per thousand in the Ninth Service Command. Rates for primary pneumonias, other than atypical, decreased during the week from 5.9 to 5.2 per thousand troops per annum. In the corresponding periods of last year, this rate was 5.7 and 4.8 per thousand, while it moved from 6.9 to 7.2 in these weeks of 1944.

VARIATIONS BY SERVICE COMMAND


MORBIDITY FROM

— ALL CAUSES

— COLDS, INFLUENZA, ETC.



VARIATIONS BY SERVICE COMMAND (CONT.)



COMMENT ON CURRENT TRENDS (CONT.)

Venereal Diseases:

Admissions for "new non-EPTS" venereal diseases increased during the week from 76 to 84 per thousand troops per annum. In the Fourth Service Command the admission rate for these causes reached 141 per thousand troops, the highest service command rate experienced since Pearl Harbor.

Other Communicable Diseases:

Diarrhea and dysentery were reported at 3 admissions per thousand troops per annum.

Rates for scarlet fever continued higher than any experienced during the war period; the current week's rate of 15.0 per thousand represents an increase of 15 per cent over that reported in the previous week.

The rate for rheumatic fever, having moved steadily upward for the previous five weeks, to reach 2.7 admissions per thousand troops per annum last week, remained at that level during the current week. Rates of 0.9 in January and 1.2 in February were reported.

Admissions for streptococcal sore throat increased during the week from 1.8 to 2.8 per thousand troops per annum.

Over 70 per cent of the cases of scarlet fever and 50 percent of the rheumatic fever cases reported during the week occurred at Aberdeen Proving Ground, Md.; Camp Lee, Va.; Fort Belvoir, Va.; Fort McClellan, Ala.; Camp Crowder, Mo.; Keesler Field, Miss.; and Sheppard Field, Texas.

These stations included less than 12 per cent of the strength of the Army in the continental United States; however, of the troops at each of them, 45 per cent or more were trainees with less than 2 months service.

NONEFFECTIVE RATE: (See chart on Page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 41.4 per thousand troops for the week ended 15 March as compared with 34.4 per thousand for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 15 MARCH 1946:
(See chart on Page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 112,870 as compared with 115,992 at the end of the previous week.

The number of neuropsychiatric cases remaining was 7737 or about 60 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 20,025. Battle wounded remaining decreased by about 1250 to 26,083.


CERTIFICATES OF DISABILITY FOR DISCHARGE:

(See chart on Page 10.)

In the week ended 15 March there were 2802 enlisted personnel discharged by CDD (about 300 less than the previous week). These discharges included 72 accomplished at Air Force medical activities. Among them were 416 neuropsychiatric cases, about 170 less than in the previous week.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH											
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC.*		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)					
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																			
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	
TOTAL UNITED STATES	1485960	1505732	675	654	646	621	29	33	182	178	18	19	3	3	84	76	41	42	
FIRST SERVICE COMMAND	48655	49219	545	486	516	455	29	31	109	79	10	8	5?	4?	42	50	48	53	
SECOND SERVICE COMMAND	139583	137044	652	619	628	592	24	27	106	126	11	16	5	6	67	55	40	43	
THIRD SERVICE COMMAND	158398	165630	731	787	707	758	24	29	224	259	16	19	1?	1?	87	100	41	42	
MIL. DIST. OF WASHINGTON	47782	48054	802	839	767	808	35	31	318	331	37	39	3?	10	41	24	52	52	
FOURTH SERVICE COMMAND	304738	310172	631	614	600	580	31	34	113	124	25	25	1	3	141	119	36	37	
FIFTH SERVICE COMMAND	109212	109401	642	582	614	552	28	30	150	122	13	16	2?	2?	70	66	42	42	
SIXTH SERVICE COMMAND	87564	92168	589	502	555	479	34	23	115	97	27	14	2?	1?	61	39	40	39	
SEVENTH SERVICE COMMAND	118470	121897	906	854	884	831	22	23	371	345	22	27	5	5	58	56	38	37	
EIGHTH SERVICE COMMAND	238794	245393	710	660	679	623	31	37	255	216	19	19	2	1?	70	66	46	47	
NINTH SERVICE COMMAND	232764	226754	605	611	574	564	31	47	144	141	8	8	4	2	77	72	42	45	
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																			
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	
TOTAL UNITED STATES	1775888	2922772	634	663	603	611	31	52	181	178	17	14	3	7	71	44	81	74	
FIRST SERVICE COMMAND	62247	80130	551	726	526	673	25	53	150	181	10	8	7	6	37	57	138	100	
SECOND SERVICE COMMAND	166574	188796	650	720	627	672	23	48	158	178	15	11	7	7	62	51	100	104	
THIRD SERVICE COMMAND	174788	181275	783	748	757	706	26	42	265	187	20	14	2	7	100	61	71	80	
MIL. DIST. OF WASHINGTON	48511	52023	835	689	810	645	25	44	351	209	32	9	2	8	36	23	79	71	
FOURTH SERVICE COMMAND	358019	715789	565	643	535	585	30	58	133	153	20	16	2	7	102	48	69	65	
FIFTH SERVICE COMMAND	127890	133211	584	712	557	666	27	46	123	241	13	16	2	8	66	54	110	165	
SIXTH SERVICE COMMAND	107324	101943	579	713	552	676	27	37	125	209	18	23	3	6	50	51	119	116	
SEVENTH SERVICE COMMAND	148611	267556	749	606	725	564	24	42	268	153	20	10	5	6	59	40	79	70	
EIGHTH SERVICE COMMAND	285757	722514	641	663	606	606	35	57	225	206	19	17	2	8	65	38	71	54	
NINTH SERVICE COMMAND	296137	479535	580	631	541	579	39	52	139	159	11	8	4	7	55	37	67	69	

FORM 58-3968 REVISED 13 NOVEMBER 1943

RESTRICTED

**DOES NOT INCLUDE EVACUEES.
***INCLUDES EVACUEES.

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Influenza.

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 11
WEEK ENDING 15 March 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY GDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1485960	439	343	429	23	78	364	123	5	255	173	80	253	46	31	14	1	2802
FIRST SERVICE COMMAND	48655	3	5	8			7	4		5	8	1	1	2	2			140
SECOND SERVICE COMMAND	139583	17	13	4		4	21	19		17	3	3	26	5	3	1	1	301
THIRD SERVICE COMMAND	158398	37	31	85	1	4	32	9	2	24	14	5	19	3	3			277
MIL. DIST. OF WASHINGTON	47782	13	12	36		8	23	8		11	2	25	5	3	3			46
FOURTH SERVICE COMMAND	304738	70	50	63	13	7	128	15		30	10	2	26	2	2			487
FIFTH SERVICE COMMAND	109212	20	23	14	2	3	6	6		23	9	3	17	4	1	3		231
SIXTH SERVICE COMMAND	87564	12	13	15		2	30	20		17	48	5	58	7	5	2		313
SEVENTH SERVICE COMMAND	118470	60	48	101	2	24	43	8		25	32	25	13	4	3	1		151
EIGHTH SERVICE COMMAND	238794	138	83	92	3	24	54	20	2	52	28	3	60	11	7	4		421
NINTH SERVICE COMMAND	232764	69	65	11	2	2	20	14	1	51	19	8	28	5	2	3		355
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1505732	397	339	377	21	77	370	116	4	224	191	52	256	73	36	36	1	3102
FIRST SERVICE COMMAND	49219	1	1	6			4	2		7	2		3	5	3	1	1	306
SECOND SERVICE COMMAND	137044	18	13	13		3	25	23		19	13	5	44	3	2	1		389
THIRD SERVICE COMMAND	165630	49	50	63	3	5	38	6		22	7	16	41	3	2	1		242
MIL. DIST. OF WASHINGTON	48054	7	17	36		10	21			7	1		5	1	1			30
FOURTH SERVICE COMMAND	310172	79	46	67	4	3	123	8	2	31	5	4	32	11	6	5		664
FIFTH SERVICE COMMAND	109401	23	10	27	3	1	5	12		18	4	7	8	4	1	3		204
SIXTH SERVICE COMMAND	92168	8	11	14		1	17	6		12	57		23	4	3	1		207
SEVENTH SERVICE COMMAND	121897	20	63	63	2	17	54	6	2	16	27	8	16	5	2	3		191
EIGHTH SERVICE COMMAND	245393	139	80	68	6	32	65	37		38	46	4	60	22	6	16		446
NINTH SERVICE COMMAND	226754	53	48	20	3	5	18	16		54	29	8	24	15	10	5		423

FORM 50-396C REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

[illegible]

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
THIRD SERVICE COMMAND	158398	731	707	24	224	16	1?	87	37	31	85	1	4	32	9	3	3		277
Aberdeen Prov. Grd., Md.	20499	1098	1045	53	426	30		84	12	2	28			9					1
Bustis, Ft., Va.	6643	1073	1057	16?	478			117		1					1				
George G. Meade, Ft., Md. (RH)	32965	574	566	8?	55	17		136		1				11	3				13
Indiantown Gap, Pa.	13765	325	314	11?	174	8?		19?		2	2			2	4				30
Lee, Cp., Va. (RH)	33176	873	859	14	313	20		71	9	17	51	1	2	3		1	1		36
Pickett, Cp., Va.	21488	707	692	15	244	7?		123	13	7	3			3					1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	29862	623	576	47	124	12	5?	52	3	1	1		2	4	1	2	2		196
MILITARY DISTRICT OF WASH.	47782	802	767	35	318	37	3?	41	13	12	36		8	23	8	3	3		46
Belvoir, Ft., Va. (RH)	22951	993	936	57	483	73	7?	50	7	11	36		8	21	6				4
Myer, Ft., Va.	5001	822	780	42?	208			62	1						1				
Washington Gen. Disp., D. C.	7366	515	508	7?	198	14?		7?		1				2	1				
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	12464	613	605	8?	129			38	5							3	3		42

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

[illegible]

WEEKLY HEALTH REPORT INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'GOGGIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIFTH SERVICE COMMAND	109212	642	614	28	150	13	2?	70	20	23	14	2	3	6	6	4	1	3	231
Atterbury, Cp., Ind.	38363	540	533	7?	45			54	1	4			1		2				
Campbell, Cp., Ky.	18501	501	481	20	20	6?		84	2	1	3		1		1				2
Dayton, Ohio AAF Tech.Base(RH)	10484	338	308	30	134	15?	15?	60		3				3					4
Knox, Ft., Ky. (RH)	20544	1248	1200	48	557	56	5?	68	10	15	11	2	1	3	2	1		1	10
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	21320	515	461	54	68			93	7						1	3	1	2	215
SIXTH SERVICE COMMAND	87564	589	555	34	115	27	2?	61	12	13	15		2	30	20	7	5	2	313
Chanute Field, Ill. (RH)	6809	665	581	84	351	8?		61	3	1				1	2				
Grant, Cp., Ill.	8884	1101	1101		53	117	6?	47	3	1	1			20	4				10
McCoy, Cp., Wis.	8259	825	819	6?	107	44		44		1			1	7	1	1	1		7
Scott Field, Ill. (RH)	10564	626	532	94	300			34	4	2	11				1	1	1		5
Sheridan, Ft., Ill. (RH)	31678	395	379	16	38	23		67		2	1				4	2	1	1	4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	21370	531	492	39	90	7?	5?	75	2	6	2		1	2	8	3	2	1	287

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

[illegible]

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

18

[illegible]

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 11
WEEK ENDING 15 March 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Crowder, Cp., Mo.	1634	1656	Crowder, Cp., Mo.	1622	1646	Scott Field, Ill.	94	40
Sheppard Field, Texas	1379	1230	Sheppard Field, Texas	1356	1195	Chanute Field, Ill	84	40
Knox, Ft., Ky.	1248	936	Knox, Ft., Ky.	1200	887	McClellan, Ft., Ala.	63	82
San Antonio AAF, Texas	1138	1025	San Antonio AAF, Texas	1121	982	Hood, Cp., Texas	58	46
Grant, Cp., Ill.	1101	823	Grant, Cp., Ill.	1101	823	Belvoir, Ft., Va.	57	28
Aberdeen Prov. Grd., Md.	1098	1136	Eustis, Ft., Va.	1057	972	Jos. T. Robinson, Cp., Ark.	55	38
Eustis, Ft., Va.	1073	1015	Aberdeen Prov. Grd., Md.	1045	1142	Aberdeen Prov. Grd., Md.	53	44
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000		
Crowder, Cp., Mo.	938	891	Grant, Cp., Ill	117	55	Ord, Ft., Calif.	28	77
Sheppard Field, Texas	780	519	McClellan, Ft., Ala.	102	82	McClellan, Ft., Ala.	12	67
San Antonio AAF, Texas	575	321	Keesler Field, Miss.	84	67			
Knox, Ft., Ky.	557	435	Belvoir, Ft., Va.	73	77	NO OTHER STATION WITH SIX OR MORE CASES.		
Belvoir, Ft., Va.	483	537	Sheppard Field, Texas	73	57			
Eustis, Ft., Va.	478	546	Knox, Ft., Ky.	56	44			
Bliss, Ft., Texas	448	452	McCoy, Cp., Wis.	44	137			
VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000					
Jackson, Ft., S. C.	402	325	Crowder, Cp., Mo.	1622	1646			
Shelby, Cp., Miss.	354	292	Sheppard Field, Texas	1356	1195			
Benning, Ft., Ga.	180	142	Knox, Ft., Ky.	1200	884			
New Orleans PoE, La.	177	164	San Antonio AAF, Texas	1121	982			
Kearns AAFORD, Utah	163	152	Grant, Cp., Ill.	1101	823			
Beale, Cp., Calif.	159	155	Keesler Field, Miss.	1044	764			
Kilmer, Cp., N. J.	153	165	Aberdeen Prov. Grd., Md.	1043	1142			

FORM SG-396E, 12 NOVEMBER 1943

RESTRICTED

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Influenza

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

VOLUME VI REPORT NO. 11
WEEK ENDING 15 March 1946

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<u>POLIOMYELITIS (2)</u> 1-Lovell GH, Mass. 1-Wm. Beaumont GH, Tex.	<u>DIPHTHERIA (4)</u> 1-Halloran GH, N. Y. 1-Geo. G. Meade, Ft., Md. 1-Greensboro AAFORD, N.C. 1-Sheridan, Ft., Ill.	<u>AMEBIC DYSENTERY (18)</u> 1-Dix, Ft., N.J. 1-Rhoads GH, N.Y. 3-Geo.G.Meade, Ft., Md. 1-Wash. Gen. Disp., D. C. 1-McPherson, Ft., Ga. 1-Atterbury, Cp., Ind. 1-Gardiner, GH, Ill. 1-Sheridan, Ft., Ill. 6-O'Reilly GH, Mo. 1-Pasadena, Calif. (RH) 1-Roberts, Cp., Calif.	<u>SCABIES (51)</u> 51-Grant, Cp., Ill. TREATED AS OUT PATIENTS 708-Dix, Ft., N. J. 44-Hamilton, Ft., N. Y. 1233-Kilmer, Cp., N. J.	<u>COCCIDIOIDOMYCOSIS (5)</u> 1-Cooke, Cp., Calif. 1-Pasadena, Calif. (RH) 3-Ord, Ft., Calif.
				<div style="text-align: center;">LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</div> <hr/> STREPTOCOCCAL SORE THROAT 25-Buckley Field, Colo. GERMAN MEASLES 18-Aberdeen Prov. Grd.,Md. 38-Lee, Cp., Va. 25-Belvoir, Ft., Va. 20-Bragg, Ft., N. C. 16-Greensboro AAFORD, N. C. 23-Keesler Field, Miss. 86-McClellan, Ft., Ala. 22-Knox, Ft., Ky. 83-Crowder, Cp., Mo. 15-Brooke GH, Texas 18-Jos.T.Robinson,Cp., Ark. 17-Sheppard Field, Texas 31-Lewis, Ft., Wash.
<u>UNDULANT FEVER (1)</u> 1-Beale, Cp., Calif.				<div style="text-align: center;">M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</div> <hr/> 1-Morrison Field, Fla. 1-Seymour Johnson Fld.,N.C. 1-Smyrna AAF, Tenn. 1-Madigan GH, Wash.
STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS <hr/> Benning, Ft., Ga. Crowder, Cp., Mo.				

